



## 1x19 CONSTRUCTION SS WIRE ROPE AISI 316

Code	Rope Ø	B/S(kg)	kg/100Mtr
WRS/119/316-010	1.0	81	0.5
WRS/119/316-012	1.2	126	0.81
WRS/119/316-016	1.6	182	1.25
WRS/119/316-020	2.0	323	2.07
WRS/119/316-025	2.5	504	3.18
WRS/119/316-032	3.2	848	5.3
WRS/119/316-040	4.0	1294	7.84
WRS/119/316-050	5.0	2019	12.75
WRS/119/316-060	6.0	2910	18.36
WRS/119/316-064	6.4	3336	20.3
WRS/119/316-080	8.0	5044	32.2
WRS/119/316-010	10.0	7070	50.4




## 7X7 CONSTRUCTION SS WIRE ROPE AISI 316

Code	Rope Ø	B/S(kg)	kg/100Mtr
WRS/77/316-010	1.0	52.5	0.38
WRS/77/316-012	1.2	79.5	0.62
WRS/77/316-016	1.6	124	0.95
WRS/77/316-020	2.0	221	1.7
WRS/77/316-025	2.5	345	2.6
WRS/77/316-032	3.2	710	4.2
WRS/77/316-040	4.0	884	6.72
WRS/77/316-050	5.0	1381	10.52
WRS/77/316-060	6.0	1989	15.1
WRS/77/316-064	6.4	2298	17.5
WRS/77/316-080	8.0	3537	27
WRS/77/316-100	10.0	5517	42.3
WRS/77/316-120	12.0	7948	60.3




## 7x19 CONSTRUCTION SS WIRE ROPE AISI 316

Code	Rope Ø	B/S(kg)	kg/100Mtr
WRS/719/316-016	1.6	118	0.95
WRS/719/316-020	2.0	204	1.63
WRS/719/316-025	2.5	319	2.59
WRS/719/316-032	3.2	710	4.1
WRS/719/316-040	4.0	817	6.5
WRS/719/316-050	5.0	1276	10.26
WRS/719/316-060	6.0	1837	14.7
WRS/719/316/064	6.4	2122	17.8
WRS/719/316-080	8.0	3263	26.2
WRS/719/316-100	10.0	5106	41
WRS/719/316-120	12.0	7350	59




**7x7 GALVANISED WIRE ROPE G1570**


Code	Rope Ø	B/S(kg)	kg/100Mtr
WRG77IWRC-016	1.6	N/A	1.26
WRG77IWRC-020	2.0	225	1.6
WRG77IWRC-025	2.5	367	3
WRG77IWRC-030	3.0	510	3.6
WRG77IWRC-040	4.0	902	6.3
WRG77IWRC-050	5.0	1402	9.9

**7x7 GALVANISED WIRE ROPE G2070**


Code	Rope Ø	B/S(kg)	kg/100Mtr
WRG77IWRCIW-050	5.0	1824	9.9
WRG77IWRCIW-060	6.0	2627	14.3
WRG77IWRCIW-070	7.0	3568	19.7
WRG77IWRCIW-080	8.0	4657	25.2
WRG77IWRCIW-090	9.0	5896	32
WRG77IWRCIW-100	10.0	7269	39.9
WRG77IWRCIW-120	12.0	10478	56.7

**7x19 GALVANISED WIRE ROPE G2070**

Code	Rope Ø	B/S(kg)	kg/100Mtr
WRG719IWRC-032	3.2	756	4.2
WRG719IWRC-040	4.0	1099	6.1
WRG719IWRC-050	5.0	1707	9.5
WRG719IWRC-060	6.0	2496	13.7
WRG719IWRC-080	8.0	3943	24.2
WRG719IWRC-100	10.0	6190	38.1
WRG719IWRC-120	12.0	9600	54.8

**PVC Coated and Polyurethane Coated Wire Rope**


Available in various colours and clear.  
Stainless Steel or Galvanised, 7x7, 7x19x19  
From 1.6mm wire to 10mm wire






**6x19 FIBRE CORE GALVANISED WIRE ROPE G1570**


Code	Rope Ø	B/S(kg)	kg/100Mtr
WRG619FC-035	3.5	549	4.2
WRG619FC-040	4.0	755	5.5
WRG619FC-050	5.0	1177	8.6
WRG619FC-060	6.0	1726	12.4
WRG619FC-080	8.0	3031	22.1
WRG619FC-100	10.0	4728	34.6

**6X24 FIBRE CORE GALVANISED WIRE ROPE G1570**


Code	Rope Ø	B/S(kg)	kg/100Mtr
WRG624FC-080	8.0	2766	20.4
WRG624FC-090	9.0	3492	25.8
WRG624FC-100	10.0	4316	31.8
WRG624FC-110	11.0	5218	38.5
WRG624FC-120	12.0	6209	45.8
WRG624FC-130	13.0	7208	53.8
WRG624FC-140	14.0	8456	62.4
WRG624FC-160	16.0	11085	81.5
WRG624FC-180	18.0	14028	103
WRG624FC-200	20.0	17266	17
WRG624FC-220	22.0	20895	154

**18x7 NON ROTATING WIRE ROPE 2070**

Code	Rope Ø	B/S(kg)	kg/100Mtr
WRB187-060	6.0	2370	13.8
WRB187-080	8.0	4210	24.5
WRB187-090	9.0	5340	31
WRB187-100	10.0	6610	38.3
WRB187-110	11.0	7980	46.3
WRB187-120	12.0	9500	55.1
WRB187-130	13.0	11100	64.7
WRB187-140	14.0	13000	75
WRB187-160	16.0	16800	98


**35x7 NON ROTATING WIRE ROPE 2070**

Code	Rope Ø	B/S(kg)	kg/100Mtr
WRB357-120	12.0	10770	66.2
WRB357-130	13.0	12600	77.7
WRB357-140	14.0	14500	90.1
WRB357-160	16.0	19100	117.8
WRB357-180	18.0	24100	149
WRB357-190	19.0	26900	166
WRB357-200	20.0	29700	184




## 6x25 STEEL CORE GALVANISED WIRE ROPE G1770

Code	Rope Ø	B/S(kg)	kg/100Mtr
WRG625IWRC-09	9.0	5110	34.8
WRG625IWRC-10	10.0	6310	43
WRG625IWRC-11	11.0	7630	52
WRG625IWRC-16	16.0	16100	110
WRG625IWRC-18	18.0	20400	138
WRG625IWRC-20	20.0	25200	167
WRG625IWRC-22	22.0	30500	202
WRG625IWRC-26	26.0	42600	283



## 6x36 STEEL CORE GALVANISED WIRE ROPE G1770

Code	Rope Ø	B/S(kg)	kg/100Mtr
WRG636IWRC-12	12.0	90800	60.2
WRG636IWRC-13	13.0	10700	70.7
WRG636IWRC-14	14.0	12400	84.3
WRG636IWRC-16	16.0	16100	110
WRG636IWRC-18	18.0	20400	138
WRG636IWRC-20	20.0	25200	167
WRG636IWRC-22	22.0	30500	202
WRG636IWRC-24	24.0	36300	240.5
WRG636IWRC-26	26.0	42600	282.2
WRG636IWRC-28	28.0	49400	327.3
WRG636IWRC-32	32.0	64600	427.5





**CLICK THIS  
IMAGE TO  
GO TO  
THE FULL  
CATALOGUE**



**CLICK THIS  
IMAGE TO  
RETURN  
TO THE  
WEBSITE  
HOME PAGE**

